

CTL® Meet Compute System User's Manual GQE20C Series






TABLE OF CONTENTS

SAFETY INFORMATION3
COPYRIGHT5
PRODUCT OVERVIEW6
Package contents6
Front view
Rear view
Status indicators8
Specifications9
GETTING STARTED11
Using the stand11
Using the wall mount13
Connecting the AC power15
Connecting a display device16
Connecting the mouse and keyboard18
Connecting the wired mouse and keyboard18
Connecting the wireless mouse and keyboard18
Performing additional connections19
Connecting to local area network (LAN)19
Connecting USB devices20
USING MEET COMPUTE SYSTEM21
Powering on your device21
Enrolling your device21
Exiting Kiosk mode23
Navigating in Desktop mode24
Quick Settings panel25
Powering off your device26
Rebooting your device26
TROUBLESHOOTING27
CTI CONTACT INCOPMATION 28

SAFETY INFORMATION

Your CTL Meet Compute System is designed and tested to meet the latest standards of safety for information technology equipment. However, to ensure your safety, it is important that you read the following safety instructions

Setting up your system

- Read and follow all instructions in the documentation before you operate your system.
- · Do not use this product near water or a heated source.
- Set up the system on a stable surface.
- Openings on the chassis are for ventilation. Do not block or cover these openings. Make sure you leave plenty of space around the system for ventilation. Never insert objects of any kind into the ventilation openings.
- Use this product in environments with ambient temperatures between 0°C to 35°C.
- If you use an extension cord, make sure that the total ampere rating
 of the devices plugged into the extension cord does not exceed its
 ampere rating.

Care during use

When using this CTL Meet Compute System, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- Do not place the device on an uneven or unstable surface.
- · Do not use this device near water.
- Do not spill water or other liquids into or on the device.
- The device may produce some heat during normal operation or charging. If you feel the device is too warm, avoid sustained contact with exposed skin otherwise this might cause discomfort, or eventually a burn.

- Clean only with a soft cloth. If needed, dampen the cloth slightly before cleaning. Never use abrasives or cleaning solutions.
- Always disconnect the device from an electrical outlet and power off before cleaning the device.
- Do not handle the device with wet hands while it is being charged.
 This may cause an electric shock.
- Refer all servicing to qualified service personnel. Servicing is required when the device has been damaged in any way such as:
 - Power-supply cord or plug is damaged.
 - Liquid has been spilled into the device.
 - The device has been exposed to rain or moisture.
 - The device does not operate normally.
 - The device was dropped or the chassis is damaged.

Lithium-Ion Battery Warning

CAUTION: Danger of explosion if battery is incorrectly replaced. Replace only with the same or equivalent type recommended by the manufacturer. Dispose of used batteries according to the manufacturer's instructions.

NO DISASSEMBLY

The warranty does not apply to the products that have been disassembled by users



DO NOT throw the CTL Meet Compute System in municipal waste. This product has been designed to enable proper reuse of parts and recycling. This symbol of the crossed out wheeled bin indicates that the product (electrical, electronic equipment, and mercury-containing button cell battery) should not be placed in municipal waste. Check local technical support services for product recycling.

COPYRIGHT

Wi-Fi and the Wi-Fi CERTIFIED logo are registered trademarks of the Wireless Fidelity Alliance.

Google, Google Workspace, and related marks and logos are trademarks of Google LLC.


All products use in this device and trademarks mentioned herein are trademarks or registered trademarks of their respective owners.

© Copyright 2023


PRODUCT OVERVIEW

Package contents

Please take a moment to check if all the necessary items are included in the package. If anything is missing or damaged, please contact your dealer immediately.




Front view



No.	Description
1	Power LED

Rear view




No.	Description	No.	Description
1	Power button	6	LAN port
2	USB 3.1 Type-C port* (x2)	7	Reset hole
3	Thunderbolt™ 4 port*	8	Kensington lock port
4	HDMI 2.1 OUT port (x2)	9	DC IN jack
5	USB 3.0 Type-A port* (x2)		

» **NOTE:** *Supports battery charging.



The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Status indicators



No.	Indicator	Color	Status	Description
1	Power LED	White	On	Compute system is switched on.
			Off	Compute system is switched off.
			Flashing	Compute system is suspended.
		Red	On	Insufficient power to boot the
				system.
			Flashing	A critical firmware error has
				occurred.
		0,40,40,410	Flashing	Activity on the link.
2	LAN port LEDs	Orange	Off	No activity on the link.
3		Green	On	Active link connection.
			Off	No link connection.

Specifications

Item	Description
Operating system	Google Meet OS
CPU	Intel® Core™ i5-1335U processor • Max. Turbo Frequency: 4.60 GHz • Cache: 12 MB Intel® Smart Cache
Memory	16 GB LPDDR4X 4266
Graphics	Intel® Iris® Xe Graphics eligible Graphics Max. Dynamic Frequency: 1.25 GHz Max Resolution (HDMI): 4096 x 2304 @ 60Hz
Storage	M.2 SSD 256GB(SATA/PCIe)
LAN support	 Gigabit Ethernet 1GB Upstream Port
WLAN and Bluetooth support	Intel® Wi-Fi 6E AX211 (Gig+) module • TX/RX Streams: 2x2 • Bands: 2.4, 5, 6 GHz (160MHz) • Wi-Fi CERTIFIED: Wi-Fi 6E (802.11ax) • Bluetooth Version: 5.3 • Form Factor: M.2 2230
Connectors	 (2) USB4 Type-C ports (Displayport/USB) (2) HDMI OUT ports (with CEC) USB3.1 Type-C port (Displayport/USB) (2) USB3.0 Type-A ports (up to 10GB) LAN port DC IN jack
VESA mounting	Magnetic wa ll mount
Dimensions	284 x 135 x 29.5 mm
Weight	970g
AC Adapter	 Output: 19.5V DC, 4.62A 90W Input: 100~240V AC, 50/60Hz Universal


Item	Description
Power cord	Type: US / EU / UK / ANZ /JA regionLength: 1m
Security solution	Kensington lock
Operating Environment	Temperature: 0°C to 35°CHumidity: 30% to 80%

GETTING STARTED

Using the stand

Ensure that your Meet Compute System is properly turned off before mounting the device to the stand. Failure to do so may result in personal injury from electric shock.

1. Hold your device with its exhaust vent facing up and the **Power** button is on the top side as shown in the illustration.



With the mounting slots
 ("concave shape" on your device
 and "convex shape" on the stand)
 properly aligned, bring your
 device close to the stand.
 Your device will magnetically
 attach to the stand.



3. Adjust until your device is securely attached to the stand.



CAUTION: When connecting/disconnecting the cable(s), hold your device firmly to avoid damage from falls.

Using the wall mount

Ensure that your Meet Compute System is properly turned off before mounting the device to the wall mounting plate. Failure to do so may result in personal injury from electric shock.


Attention!

The mounting height must not exceed 2m above the floor or 75cm above a flat surface.

 Install the mounting plate to the wall using the four screws and washers.



- » **NOTE:** Screw size: M3.5 x 24 mm.
- Hold your device with its exhaust vent facing up and the Power button is on the top side as shown in the illustration.



 With the device and mounting plate properly aligned, bring your device close to the mounting plate.
 Your device will magnetically attach to the mounting plate.




4. Adjust until your device is securely attached to the mounting plate.



Connecting the AC power

To connect your Meet Compute System to the power outlet, do the following:

- 1. Connect one end of the power cord to the AC adapter and the other end to the power outlet.
- 2. Connect the AC adapter to the DC IN jack of your device.




Connecting a display device

You can connect a display panel or projector to your Meet Compute System that has one of the following connectors:

- · HDMI connector
- DisplayPort (USB Type-C)


To establish the connection using an HDMI cable:

- Connect one end of the HDMI cable to either of the two HDMI ports on your device.
- 2. Connect the other end of the HDMI cable to the HDMI port of a display device (a projector, for example).



To establish the connection using a USB Type-C cable:

- 1. Connect one end of the USB Type-C cable to either of the two USB4 Type-C ports on your device.
- Connect the other end of the USB Type-C cable to the DisplayPort (USB Type-C) port of a display device (a monitor, for example).




Connecting the mouse and keyboard

Your Meet Compute System supports both wired and wireless mouse and keyboard.

Connecting the wired mouse and keyboard

Connect the USB mouse and USB keyboard to the USB ports on your device.



Connecting the wireless mouse and keyboard

Connect the USB receiver that is supplied with your wireless mouse and keyboard to the USB port of your device.




» NOTE: After you power on your Meet Compute System, the wireless mouse and keyboard are usually paired automatically. If any additional steps are required, please refer to the manual that came with your accessories.

Performing additional connections

Connecting to local area network (LAN)

- Connect one end of the RJ45 cable to the LAN port of your Meet Compute System.
- 2. Connect the other end of the RJ45 cable to a network connection device or a network wall connector.




» NOTE: To configure the LAN connection parameters, open the Settings menu and select Network > Ethernet.

Connecting USB devices


» **NOTE:** Your Meet Compute System supports USB3.0 Type-A and USB3.1 Type-C.

Depending on the supported USB type, connect the USB device to the respective USB port of your Meet Compute System.

 USB3.0 Type-A compatible device connect to one of the following USB ports:



USB3.1 Type-C compatible device connect to the following USB port:



USING MEET COMPUTE SYSTEM

Powering on your device

To power on your Meet Compute System, press the **Power** button. The **Power** LED **l**ights so**l**id white.



Enrolling your device

When you turn on the device for the first time, you need to enroll your Meet Compute System.

- Connect the USB keyboard and mouse to your Meet Compute System. Then turn on your device and the connected external display.
- Set the language, configure the accessibility options, and set the time zone. Then click **Get started**.



- 3. Configure the network connection.
- 4. Read and accept the Chrome OS Terms of Service.
- 5. Sign in with your Google Workspace account and password. After the enrollment process is complete, click **Next**.
- When the Google Meet hardware screen appears, follow the on-screen instructions to test your peripherals such as camera, microphone, display, and touch controller.
- 7. After all tests are complete, click **Done**. Then the Meet (kiosk application) main screen will appear on the screen.



» NOTE: For more information on using the application, visit Google Meet Help Center website.

Exiting Kiosk mode

To exit the Kiosk mode and enter the Desktop mode, do the following:

1. Press the Power button. Then click Sign out.



- 2. When your device starts loading the Meet application window, press the **Ctrl+Shift+S** buttons on the keyboard.
- 3. Sign in with your Google account and password. Then follow the on-screen instructions to complete the setup.
- 4. Click **Get started** to start using your device.

Navigating in Desktop mode

After the initial setup is configured, you will see the desktop.




Click on any of the following items:

- 1 Launcher: Manage installed apps, perform search, and access Google Assistant.
- 2 App launcher: Pin frequently used apps and access them quickly.
- 3 **Desktop**: Right click to manage shelf visibility, position, and set wallpaper and its style.
- 4 Quick files: Open and pin files for quick access.
- 5 Status Tray: View and manage date & time settings, notifications, and access the Quick Settings panel.

Quick Settings panel

Click on the time widget in the Status Tray to open the Quick Settings

panel.



Click any of the following:

- 1 Wi-Fi: Toggle Wi-Fi on or off. If the function is enabled, you can connect to an available Wi-Fi network.
- 2 Bluetooth: Toggle Bluetooth on or off. If the function is enabled, you can pair to an available Bluetooth device.
- 3 Volume: Drag the slider to adjust the volume. Click to mute audio or click to unmute
- Live Caption: Toggle Live Caption on or off.
 Click > to open the Audio settings.
- **5 Brightness**: Drag the slider to adjust the screen brightness.
- 6 Night Light: Toggle Night Light on or off. If the function is enabled, the calls, the screen will be tinted with a yellowish hue to reduce eyestrain late at night.
 - Click > to open the **Display** settings.
- Z Do not disturb: Toggle Do not disturb on or off. If the function is enabled, the calls, alerts, and notifications that you do not want to receive will be silenced.

- Cast screen: Cast your desktop to another device.
 Click > to show the cast devices.
- 9 Screen capture: Take a snapshot of the screen image.
- **IO Settings: Open the Settings menu.
 You can also access the Settings menu by clicking Launcher of and select Settings **Open Color of the Settings of the Setting
- 111 Sign out: Exit the desktop mode.
- 12 Power: Power off the device, restart the system, exit the desktop mode, or sign out from your account.
- 12 Managed: View your administrator information.
- About Chrome OS: Open the Settings menu and click to view Google Chrome OS information.
- Is Sent feedback: Send a feedback or report an issue you have encountered when using your device.
- » **NOTE:** For more information, visit Chromebook Help Center website.

Powering off your device

To shut down your Meet Compute System, do either of the following:

- Press the **Power** button, and then click **Shut down**.
- Open the Quick Settings panel. Then click ♥ > Power Off.

Rebooting your device

To reboot your Meet Compute System, do either of the following:

- · Press the Power button, and then click Sign out.
- Open the Quick Settings panel. Then click $\psi >$ Restart.
- Insert a pointed tool into the reset hole on the rear of your device.



TROUBLESHOOTING

If you experience a problem with your Meet Compute System, refer to the following troubleshooting guide. If a problem persists, contact the service center.

The power is switched on, but your device does not start:

 Make sure that the AC adapter is properly plugged into the DC IN jack of your Meet Compute System and to the power outlet. Refer to page 15.

Cannot access the LAN:

- Make sure you have connected one end of an RJ45 cable to the LAN port of your Meet Compute System and the other end to the network connection device or a network wall connector. Refer to page 19.
- Make sure you have configured the LAN settings correctly.
 Open the Settings menu and select Network > Ethernet to configure the LAN connection parameters.

Cannot connect to the Bluetooth device:

 Make sure the Bluetooth device you want to connect to is nearby your Meet Compute System and is visible to other devices.

No audio is heard from your device:

• Make sure the audio is not muted. Refer to page 25.

CTL CONTACT INFORMATION

CTL Corporation

Address: 9700 SW Harvest Court

Building #100

Telephone: 800-642-3087
Fax: 503-526-9135
Web Site: http://www.ctl.net

Telephone Support:

Email:

Web Site:

Phone: 800.645.8670

support@ctl.net

http://support.ctl.net

CTL Europe / Spain Headquarters:

Address: Pontevedra n°8, Piso 1, Oficina 6

36202 Vigo, Pontevedra, Espania

Teléfono: 986 11 74 73

Email: atencionalcliente@ctl.net

Web Site: http://es.ctl.net

Manufacturer: CTL/Quanta Computer
Address: No. 211. Wenhua 2nd Rd

lress: No. 211, Wenhua 2nd Rd., Guishan Dist., Taoyuan City 333. Taiwan

> Tel: +886-3-327-2345 Fax: +886-3-327-8855

CTL 台灣

華厚股份有限公司 台北總公司

電子郵件: jackson.lin@hualiteq.com

電話: 02-2706-0585 傳真: 02-8201-8388

住址: 台北市大安區信義路四段281號10樓

Authorized representative in Europe	CTL Spain S.L Pontevedra nº8, Piso 1, Oficina 6 36202 Vigo, Pontevedra, Espania
Authorized representative in UK	CTL GLOBAL UK LTD, C/O Cogency Global UK LTD., 6 Lloyds



HD0WX001010 3C